Date printed 20.02.2014, Revision 20.02.2014



Version 04. Supersedes version: 03

Page 1 / 8

SEC	FION 1: Identification of the substa	nce / preparation and of the company
1.1 Product identifier		
		febi 23930 brake fluid Article number 26748, 23932, 23930
1.2	Relevant identified uses of the sul	bstance or mixture and uses advised against
1.2.1	Relevant uses	
		brake fluid
1.2.2	Uses advised against	
		None known.
1.3	Details of the supplier of the safet	y data sheet
	Company	Ferdinand Bilstein GmbH + Co. KG Wilhelmstr. 47 58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com E-mail info@febi.com
	Address enquiries to	
	Technical information	info@febi.com
	Safety Data Sheet	info@febi.com
1.4	Emergency phone	
	Advisory body	+49 (0)89-19240 (24h) (english)
	Company	+49 2333 911-0
SEC	FION 2: Hazards identification	
2.1	Classification of the substance or	mixture
2.1.1	Classification according to Regula	ation (EC) No 1272/2008 [CLP] not determined
2.1.2	Classification according to Regula	ation 67/548/EEC or 1999/45/EC No classification.
2.2	Label elements	
		The product does not require a hazard warning label in accordance with EC-directives.
	Labelling according to Regulation	67/548/EEC or 1999/45/EC
	Hazard symbols	none
	R-phrases	none
	Special labelling	Safety data sheet available for professional user on request.
2.3	Other hazards	
	Physico-chemical hazards	No particular hazards known.
	Human health dangers	Frequent persistent contact with the skin can cause skin irritation. If swallowed or in the event of vomiting, risk of product entering the lungs.
	Environmental hazards	Does not contain any PBT or vPvB substances.
	Other hazards	none



Date printed 20.02.2014, Revision 20.02.2014



Version 04. Supersedes version: 03 Page 2 / 8

SECTION 3: Composition / Information on ingredients

Product-type:

The product is a mixture.

	Range [%] Substance			
	1 - <10 1,1'-Iminodipropar	- <10 1,1'-Iminodipropan-2-ol		
	CAS: 110-97-4, E	CAS: 110-97-4, EINECS/ELINCS: 203-820-9, EU-INDEX: 603-083-00-7		
	GHS/CLP: Eye Irr	it. 2: H319		
	EEC: Xi, R 36			
	1 - <10 2.2' -oxybisethance	1 - <10 2,2' -oxybisethanol		
		INECS/ELINCS: 203-872-2, EU-INDEX: 603-140-00-6		
	GHS/CLP: Acute			
	EEC: Xn, R 22			
	Comment on component parts	Substances of Very High Concern - SVHC: substances are not contained or are below 0,1%. For full text of H-statements and R-phrases: see SECTION 16.		
SEC	TION 4: First aid measures			
4.1	Description of first aid measure	S		
	General information	Change soaked clothing.		
	Inhalation	Ensure supply of fresh air.		
		In the event of symptoms seek for medical treatment.		
	Skin contact	When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.		
	Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy		
		to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.		
	Ingestion	Seek medical advice immediately. Do not induce vomiting.		
		Rinse out mouth and give plenty of water to drink.		
4.2				
		None known.		
4.0				
4.3	4.3 Indication of any immediate medical attention and special treatment needed			
		Treat symptomatically. Forward this sheet to the doctor.		
_				
SEC	TION 5: Fire-fighting measures			
5.1	Extinguishing media			
	Suitable extinguishing media	Carbon dioxide.		
		Water spray jet.		
		Dry powder.		
		Dry powder. Foam.		
	Extinguishing media that must not be used	Dry powder.		
5.2		Dry powder. Foam. Full water jet.		
5.2	be used	Dry powder. Foam. Full water jet.		
5.2	be used	Dry powder. Foam. Full water jet.		
5.2	be used	Dry powder. Foam. Full water jet. e substance or mixture Unknown risk of formation of toxic pyrolysis products.		
5.2	be used Special hazards arising from the	Dry powder. Foam. Full water jet. e substance or mixture Unknown risk of formation of toxic pyrolysis products. Nitrogen oxides (NOx).		
5.2	be used	Dry powder. Foam. Full water jet. e substance or mixture Unknown risk of formation of toxic pyrolysis products. Nitrogen oxides (NOx). Carbon monoxide (CO)		
	be used Special hazards arising from the	Dry powder. Foam. Full water jet. e substance or mixture Unknown risk of formation of toxic pyrolysis products. Nitrogen oxides (NOx).		
	be used Special hazards arising from the	Dry powder. Foam. Full water jet. e substance or mixture Unknown risk of formation of toxic pyrolysis products. Nitrogen oxides (NOx). Carbon monoxide (CO)		
	be used Special hazards arising from the	Dry powder. Foam. Full water jet. e substance or mixture Unknown risk of formation of toxic pyrolysis products. Nitrogen oxides (NOx). Carbon monoxide (CO) Use self-contained breathing apparatus.		

Date printed 20.02.2014, Revision 20.02.2014



Version 04. Supersedes version: 03 Pag

Page 3 / 8

SEC	SECTION 6: Accidental release measures		
6.1 Personal precautions, protective equipment and emergency procedures		itions, protective equipment and emergency procedures	
		High risk of slipping due to leakage/spillage of product. Forms slippery surfaces with water.	
6.2	Environmental p	precautions	
		Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater.	
6.3	Methods and ma	aterial for containment and cleaning up	
		Take up with absorbent material (e.g. general-purpose binder). Dispose of absorbed material in accordance within the regulations.	
6.4	Reference to oth	ner sections	
		See SECTION 8+13	
SEC	TION 7: Handling	and storage	
7.1	Precautions for	-	
		Avoid formation of oil dust.	
		The product is combustible.	
		Wash hands before breaks and after work.	
		Remove soiled or soaked clothing immediately. Use barrier skin cream.	
		Do not eat, drink, smoke or take drugs at work.	
		Contaminated work clothing should not be allowed out of the workplace.	
		Take off contaminated clothing and wash before reuse.	
7.2	Conditions for s	afe storage, including any incompatibilities	
		Keep only in original container.	
		Prevent penetration into the ground.	
		Do not store together with oxidizing agents.	
		Do not store together with food and animal food/diet.	
		The product is hygroscopic.	
		Keep in a cool place. Store in a dry place.	
		Keep container tightly closed. Protect from heat/overheating.	
		Keep container in a well-ventilated place.	
7.3	Specific end use	a(s)	
7.0	opeome ena use	See product use, SECTION 1.2	
050			
SEC	TION 8: Exposure	e controls / personal protection	
8.1 Control parameters		ters	
	Ingredients with o exposure limits to	ccupational be monitored (GB)	
	Range [%]	Substance	
	1 - < 10	2,2' -oxybisethanol	
		CAS: 111-46-6, EINECS/ELINCS: 203-872-2, EU-INDEX: 603-140-00-6	

Long-term exposure: 23 ppm, 101 mg/m³

Safety Data Sheet 1907/2006/EC - REACH (GB) febi 23930 brake fluid Article number 26748, 23932, 23930

Ferdinand Bilstein GmbH + Co. KG

Date printed 20.02.2014, Revision 20.02.2014



Version 04. Supersedes version: 03 P

Page 4 / 8

8.2	Exposure controls Additional advice on system design Eye protection	Ensure adequate ventilation on workstation. Safety glasses.
	Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. Nitrile rubber, >480 min (EN 374).
	Skin protection	Light protective clothing.
	Other	Avoid contact with eyes and skin. Do not inhale vapours. Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of these equipments to chemicals should be ascertained with the respective supplier.
	Respiratory protection	Breathing apparatus in the event of high concentrations. Short term: filter apparatus, filter A.
	Thermal hazards	none
	Delimitation and monitoring of the environmental exposition	See SECTION 6+7.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

information on basic physical and	r chemical properties
Form	liquid
Color	yellowish
Odor	characteristic
Odour threshold	not determined
pH-value	7 - 8,5 (20°C) (SAE J 1703)
pH-value [1%]	not determined
Boiling point [°C]	> 260 (FMVSS 116)
Flash point [°C]	> 130 (DIN ISO 2592)
Flammability [°C]	> 200 (DIN 51794)
Lower explosion limit	1,5 Vol.%
Upper explosion limit	not determined
Oxidizing properties	no
Vapour pressure/gas pressure [kPa]	< 0,1 (20°C)
Density [g/ml]	~ 1,07 (DIN 51757) (20 °C / 68,0 °F)
Bulk density [kg/m³]	not applicable
Solubility in water	miscible
Partition coefficient [n-octanol/water]	not determined
Viscosity	~15 -17mm²/s (20°C) (DIN 51562/T1)
Relative vapour density determined in air	not determined
Evaporation speed	not determined
Melting point [°C]	~-70 (DIN 51583)
Autoignition temperature [°C]	not applicable
Decomposition temperature [°C]	not determined

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

Date printed 20.02.2014, Revision 20.02.2014



Version 04. Supersedes version: 03

Page 5/8

10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents.

10.4 Conditions to avoid

See SECTION 7.2.

10.5 Incompatible materials

not determined

A auto taviaitu

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Range [%]	Substance	
1 - <10 1,1'-Iminodipropan-2-ol, CAS: 110-97-4		
	LD50, oral, Rat: 4765 mg/kg.	
1 - <10	2,2' -oxybisethanol, CAS: 111-46-6	
	LD50, dermal, Rabbit: 11890 mg/kg.	
	LD50, oral, Rat: 12565 mg/kg.	

Serious eye damage/irritation	not determined
Skin corrosion/irritation	not determined
Respiratory or skin sensitisation	not determined
Specific target organ toxicity — single exposure	not determined
Specific target organ toxicity — repeated exposure	not determined
Mutagenicity	not determined
Reproduction toxicity	not determined
Carcinogenicity	not determined
General remarks	Frequent persistent contact with the skin can cause skin irritation.
	No classification on the basis of the calculation procedure of the preparation directive. The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The

toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

SECTION 12: Ecological information

12.1 Toxicity

Range [Range [%] Substance	
1 - <10 1,1'-Iminodipropan-2-ol, CAS: 110-97-4		
LC50, (96h), Brachidanio rerio: > 100 - 2200 mg/l.		
EC50, (72h), Algae: 270 mg/l.		
EC50, (48h), Daphnia magna: 2777 mg/l.		
1 - <	10 2,2' -oxybisethanol, CAS: 111-46-6	
	LC50, (96h), fish: > 1000 mg/l.	
	EC50, (24h), Daphnia magna: > 10000 mg/l.	

12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	not determined

Date printed 20.02.2014, Revision 20.02.2014



Version 04. Supersedes version: 03

Page 6 / 8

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Other adverse effects

No classification on the basis of the calculation procedure of the preparation directive. Ecological data of complete product are not available. Do not discharge product unmonitored into the environment or into the drainage. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

	For recycling, consult manufacturer. In according to RoHS!
Waste no. (recommended)	160113*
Contaminated packaging	
	Uncontaminated packaging may be taken for recycling. Packaging that cannot be cleaned should be disposed of as for product.
Waste no. (recommended)	150102 150104 150110*

SECTION 14: Transport information

14.1 UN number

See SECTION 14.2 in accordance with UN shipping name

14.2 UN proper shipping name

Transport by land according to ADR/RID	NO DANGEROUS GOODS
Inland navigation (ADN)	NO DANGEROUS GOODS

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

IMDG

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

See SECTION 14.2 in accordance with UN shipping name

14.4 Packing group

See SECTION 14.2 in accordance with UN shipping name

Date printed 20.02.2014, Revision 20.02.2014



Version 04. Supersedes version: 03

Page 7 / 8

14.5 Environmental hazards

See SECTION 14.2 in accordance with UN shipping name

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixtur		regulations/legislation specific for the substance or mixture
	EEC-REGULATIONS	1967/548 (1999/45); 1991/689 (2001/118); 1999/13; 2004/42; 648/2004; 1907/2006 (Reach); 1272/2008; 75/324/EEC (2008/47/EC); 453/2010/EC
	TRANSPORT-REGULATIONS	DOT-Classification, ADR (2013); IMDG-Code (2013, 36. Amdt.); IATA-DGR (2013).
	NATIONAL REGULATIONS (GB):	EH40/2005 Workplace exposure limits (Second edition, published December 2011). CHIP 3/ CHIP 4
	- Observe employment restrictions for people	no
	- VOC (1999/13/CE)	0%
15.2	Chemical safety assessment	
		not applicable
SEC	TION 16: Other information	
16.1	R-phrases (SECTION 3)	
		R 22: Harmful if swallowed. R 36: Irritating to eyes.
16.2	Hazard statements (SECTION 3)	
		H319 Causes serious eye irritation. H302 Harmful if swallowed.

Date printed 20.02.2014, Revision 20.02.2014



Version 04. Supersedes version: 03 Pa

Page 8 / 8

16.3	Abbreviations	and	acronyms:
------	---------------	-----	-----------

16.4 Other information Modified position

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure CAS = Chemical Abstracts Service CLP = Classification, Labelling and Packaging DMEL = Derived Minimum Effect Level DNEL = Derived No Effect Level EC50 = Median effective concentration ECB = European Chemicals Bureau EEC = European Economic Community EINECS = European Inventory of Existing Commercial Chemical Substances ELINCS = European List of Notified Chemical Substances GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk IC50 = Inhibition concentration, 50% IMDG = International Maritime Code for Dangerous Goods IUCLID = International Uniform ChemicaL Information Database LC50 = Lethal concentration, 50% LD50 = Median lethal dose MARPOL = International Convention for the Prevention of Marine Pollution from Ships PBT = Persistent, Bioaccumulative and Toxic substance PNEC = Predicted No-Effect Concentration REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals TLV®/TWA = Threshold limit value - time-weighted average TLV®STEL = Threshold limit value - short-time exposure limit VOC = Volatile Organic Compounds vPvB = very Persistent and very Bioaccumulative SECTION 4 been added: Forward this sheet to the doctor. SECTION 6 been added: Forms slippery surfaces with water.

SECTION 7 been added: Take off contaminated clothing and wash before reuse.

SECTION 7 been added: Contaminated work clothing should not be allowed out of the workplace.